



**Exam** : **300-070**

**Title** : Implementing Cisco IP  
Telephony & Video, Part 1  
v1.0

**Version** : DEMO

1.Which route pattern wildcard character is used to terminate the interdigit timeout?

- A. \$
- B. !
- C. #
- D. .

**Answer: C**

2.When a call is attempted during a particular time of day, what determines the partitions where calling devices search?

- A. time schedules
- B. calling periods
- C. dial schedules
- D. time periods

**Answer: A**

3.When configuring an H.323 gateway, which configuration option can be used to set whether an incoming call is considered off the network (OffNet) or on the network (OnNet)?

- A. call classification
- B. call location
- C. device pool
- D. signaling port

**Answer: A**

4.When local route groups are used and a user dials 918005551212, what component is ultimately used to route the digits to the local gateway?

- A. The route list applied to the route pattern
- B. The device pool of the calling device
- C. The translation pattern
- D. The gateway or route list associated with the +.! route pattern

**Answer: B**

5.You are performing route pattern configuration. You need to ensure that internal extensions are automatically expanded to full external phone numbers for calling line information on outgoing calls.

What should you use?

- A. calling extension expansion
- B. called number expansion
- C. external number mask of the called party
- D. external phone number mask of the calling party

**Answer: D**