

CERTPARK



QUESTION & ANSWER



CERTPARK.COM

Accurate Study Guides,
High Passing Rate!
provides update
free of charge
in one year!



<https://www.certpark.com>

Exam : **300-210**

Title : Implementing Cisco Threat
Control Solutions (SITCS)

Version : DEMO

1.Which three operating systems are supported with Cisco AMP for Endpoints? (Choose three.)

- A. Windows
- B. AWS
- C. Android
- D. Cisco IOS
- E. OS X
- F. ChromeOS

Answer: A, C, E

Explanation:

<http://www.cisco.com/c/en/us/products/security/fireamp-endpoints/index.html>

2.Which Cisco Web Security Appliance feature enables the appliance to block suspicious traffic on all of its ports and IP addresses?

- A. explicit forward mode
- B. Layer 4 Traffic Monitor
- C. transparent mode
- D. Secure Web Proxy

Answer: B

3.Which feature requires the network discovery policy for it to work on the Cisco Next Generate fusion Prevent-on System,

- A. impact flags
- B. URL filtering
- C. security intelligence
- D. health monitoring

Answer: A

4.Which CLI command is used to register a Cisco FirePOWER sensor to Firepower Management Center?

- A. configure system add <host><key>
- B. configure manager <key> add host
- C. configure manager delete
- D. configure manger add <host><key>

Answer: A

Explanation:

http://www.cisco.com/c/en/us/td/docs/security/firepower/60/configuration/guide/fpmc-config-guide-v60/fpmc-config-guide-v60_appendix_01011110.html#ID-2201-00000005

5.In WSA , which two pieces of information are required to implement transparent user identification using Context Directory Agent? (Choose two.)

- A. the server name where Context Directory Agent is installed
- B. the server name of the global catalog domain controller
- C. the backup Context Directory Agent
- D. the shared secret
- E. the syslog server IP address

Answer: AE