CERTPARK QUESTION & ANSWER

CERTPARK.COM

Accurate Study Guides,
High Passing Rate!
provides update
free of charge
in one year!



Exam : 500-325

Title : Cisco Collaboration Servers

and Appliances (CSA)

Version: DEMO

- 1. What is the minimum number of blades you must purchase with the CMS2000 server?
- A. 10
- B. 4
- C. 1
- D. 8

Answer: D Explanation:

Reference: https://www.cisco.com/c/dam/en/us/td/docs/conferencing/ciscoMeetingServer/Installation/Cisco-Meeting-Server-2000-Installation-Guide.pdf

- 2. Which appliance comes with Cisco UC Virtualization Hypervisor Plus software?
- A. BE4000
- B. BE6000
- C. 3rd-party Specs-based server
- D. BE7000

Answer: B Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/BE6000/InstallationGuide/11_6/cucm_b_install-guide-cbe-6000-hm/cucm_b_install-guide-cbe-6000-

hm chapter 010.html#CUCM TK AD1A939F 00

- 3. For which type of deployment is the Cisco VN-Link recommended?
- A. those using local networking and DAS storage
- B. those using remote networking and NAS storage
- C. those using local networking and NAS storage
- D. those using remote networking and SAN storage

Answer: C

- 4. When does Cisco UC virtualization support application coresidency?
- A. under certain conditions for UC on UCS Specs-based
- B. under certain conditions for UC on UCS Tested Reference Configuration, UC on UCS Specs-based and third-party Server Specs-based servers
- C. under certain conditions for third-party Server Specs-based servers
- D. under certain conditions for UC on UCS Tested Reference Configuration

Answer: B

- 5. How much hardware oversubscription is allowed for UC on UCS applications?
- A. Some hardware oversubscription is allowed on Business Edition solutions.
- B. Hardware oversubscription to double the specifications is allowed
- C. Some hardware oversubscription is allowed on Cisco UCS servers.
- D. No hardware oversubscription is allowed.

Answer: D **Explanation**:

Reference:

https://supportforums.cisco.com/t5/ip-telephony/can-vms-share-the-allocated-vcpus-betweenthem/td-p/3082246