

Exam : **C2090-320**

Title : DB2 11 Fundamentals for
z/OS exam

Version : DEMO

1. Given a non-partitioned table space TS1 is built with LOCKSIZE ROW, LOCKMAX 1000 and SEGSIZE 64.

If a unit of work acquires 1001 locks against table space TS1, the lock will be escalated to which of the following levels?

- A. PAGE
- B. TABLE
- C. PARTITION
- D. TABLESPACE

Answer: C

2. Which of the following are contained in the PLAN_TABLE? (Choose two.)

- A. RUNSTATS recommendations
- B. Access to LOB values, which are stored separately from the base table
- C. Access to parent or dependent tables needed to enforce referential constraints
- D. Whether an index access or table space scan is used for each access to a table
- E. The join methods and types that are used, and the order in which DB2 joins the tables

Answer: DE

3. Which privilege will user smith be able to grant to another user on table emp when the following SQL is executed?

```
GRANT ALL ON TABLE emp TO smith WITH GRANT OPTION;
```

- A. BIND
- B. REORG
- C. TRIGGER
- D. EXECUTE

Answer: D

4. Which of the following utilities CANNOT be executed from the DB2 utilities panel in DB2I?

- A. COPY
- B. REORG
- C. STOSPACE
- D. BACKUP SYSTEM

Answer: D

Explanation:

Reference: https://www.ibm.com/support/knowledgecenter/en/SSEPEK_11.0.0/ugref/src/tpc/db2z_useutilitiespaneldb2i.html

5. Which of the following locking scenarios requires the least amount of real storage in the IRLM address space?

- A. 10 row locks
- B. 200 page locks
- C. A single table space lock
- D. 6 partition locks (given a table space with a total of 10 partitions)

Answer: C