

Exam : **C9030-634**

Title : IBM z Systems Technical
Support

Version : DEMO

1.A retail customer has been using a tool that encrypts data-at-rest with symmetric encryption to meet PCI-DSS requirements. However they have discovered through an audit that they lack key management procedures.

Which product can they use to immediately address this procedural gap?

- A. CPACF
- B. LSMFT
- C. RACF
- D. EKMF

Answer: C

2.Which is the maximum number of links for each coupling link type supported on a z13 with one CPC drawer?

- A. 20 ICA, 16 Infiniband 12X, 8 Infiniband 1X
- B. 20 ICA, 16 Infiniband 12X, 16 Infiniband 1X
- C. 20 ICA, 8 Infiniband 12X, 4 Infiniband 1X
- D. 20 ICA, 8 Infiniband 12X, 16 Infiniband 1X

Answer: A

3.A customer currently has a zEC12 with one book and is upgrading to a z13.

Left unchanged, which of the following configuration options will require them to purchase a second z13 CPC drawer?

- A. 10HCA3-O 12X IFB Links
- B. 2 carry forward I/O Drawers and 2 HCA3-O fanouts
- C. 20 total processors (Combination of GCPs, zIIPs, IFLs and ICFs)
- D. 6 System Assist Processors

Answer: C

4.An IBM z Systems is concerned about the re-occurring costs of the software licenses. A preliminary analysis suggested they can save money by off-loading workloads from the z Systems to the distributed platform.

Which is the most suitable group needed to demonstrate to the client they might be making the wrong choice?

- A. The Cloud Center of Excellence
- B. The Eagle Team
- C. The Oracle Center of Competency
- D. The Tiger Team

Answer: B

5.Which of the following IBM solutions includes the options of automated provisioning and de-provisioning of virtual machines in a z Systems cloud environment?

- A. LinuxONE
- B. Control Desk
- C. Unified Resource Manager
- D. EndPoint Manager for Server Automation

Answer: D