

Exam : **C_TS422_2022**

Title : SAP Certified Application
Associate - SAP S/4HANA
Production Planning and
Manufacturing

Version : DEMO

1.Which of the following are possible configuration steps when setting up the alert monitor in Advanced Planning? Note: There are 2 correct answers to this question.

- A. Create an object selection variant for priority-category-related alerts.
- B. Assign the alert profile to the overall profile.
- C. Create an object selection variant for production-planning-related alerts.
- D. Assign the overall profile to the authorization profile.

Answer: B, C

2.where does the system check master data selection settings during the creation of planned orders and production orders? Note: There are 3 Correct answers to this question.

- A. in the bill of material (BOM)
- B. in the work centers
- C. in the MRP controller
- D. In the routing
- E. in the production version

Answer: A, C, D

3.You use planning strategy Finite Scheduling with Reverse and want to allow scheduling the past. How can you parameterize this in the strategy profile?

- A. Specify a negative planning horizon.
- B. Specify a positive planning horizon.
- C. Specify a positive offset time.
- D. Specify a negative offset time.

Answer: D

4.What is the purpose of a reporting point confirmation in repetitive manufacturing? Note: There are 2 Correct answers to this question?

- A. To determine the work in progress along the production line
- B. To provide timely updates of inventory management for the staged components
- C. To reduce the total production lead time for a long production line
- D. To stage different components for a production line simultaneously

Answer: A, B

5.Generic Parent » Generic 1 pt

What is the purpose of collective orders?

- A. To manage production orders for an entire finished product on multiple levels
- B. To combine order management of co-products and by-products with the main product
- C. To post production costs on a cost collector instead of the production order
- D. To post any component withdrawal as single backflush with order confirmation

Answer: A