

# CERTPARK



## QUESTION & ANSWER



CERTPARK.COM

Accurate Study Guides,  
High Passing Rate!  
provides update  
free of charge  
in one year!



<https://www.certpark.com>

**Exam** : **E20-594**

**Title** : Backup Recovery - Avamar  
Specialist Exam for  
Implementation Engineers

**Version** : DEMO

- 1.Garbage collection is running on an EMC Avamar server. What activities can be performed at this time?
- A.Delete backups, and change retention settings
  - B.Restore, browse existing backups, and queue backups
  - C.Restore, delete backups, and add new clients
  - D.Change retention settings, and modify clients and domains

**Answer:B**

- 2.What is the access mode of the server during an EMC Avamar checkpoint maintenance activity?
- A.Read-only during checkpoint creation; read-write for the remainder of the activity
  - B.Read-only throughout the activity
  - C.Access is disabled during checkpoint creation; read-only for the remainder of the activity
  - D.Access is disabled throughout the activity

**Answer:A**

- 3.What would you run to determine if your EMC Avamar server is running in a steady state?
- A.status.dpn
  - B.healthcheck.pl
  - C.capacity.sh
  - D.dpncntl status

**Answer:C**

- 4.The EMC Avamar backup administrator is starting an ad-hoc backup using the Avamar Administrator interface. However, you notice that avtar is not starting on the client. Where is the first place you should look to begin troubleshooting?

- A.err.log
- B.avtar.log
- C.avsccl.log
- D.avagent.log

**Answer:D**

- 5.What is the default IP address assigned to the management port of an EMC Avamar Data Store node?
- A.10.99.99.1
  - B.10.99.99.99
  - C.10.99.99.5
  - D.10.99.99.0

**Answer:C**

- 6.Which backup level(s) does the EMC Avamar SQL Plug-in support?
- A.Full and Incremental only
  - B.Full, Differential, and Incremental
  - C.Full only
  - D.Full and Differential only

**Answer:B**

7.Which port does EMC Avamar use to access the Management Console database for reporting?

- A.7778
- B.5555
- C.28002
- D.29000

**Answer:B**

8.What does an HFS check do?

- A.Validates the integrity of a checkpoint
- B.Performs server checkpoint rollbacks
- C.Performs a snapshot of an Avamar server
- D.Checks for RAID controller errors

**Answer:A**

9.Which field within the DPN Summary report indicates how much data has been transferred to the EMC Avamar server?

- A.ModSent
- B.Overhead
- C.ModReduced
- D.TotalBytes

**Answer:A**

10.What is the default duration of the Backup window in EMC Avamar?

- A.8 hours
- B.12 hours
- C.6 hours
- D.10 hours

**Answer:B**

11.Which mode(s) of EMC Avamar replication allows for many-to-one and bi-directional replication?

- A.Normal
- B.Root-to-root
- C.Full Copy
- D.Normal and root-to-root

**Answer:A**

12.Which port must be open on an EMC Avamar utility node to be able to browse a client file system?

- A.28001
- B.27000
- C.26000
- D.28002

**Answer:D**

13.By default, where are the EMC Avamar files located on a Solaris client?

- A./opt/AVMRcInt
- B./opt/bin/avmrcInt
- C./opt/lib/avmrcInt
- D./usr/sbin/AVMRcInt

**Answer:A**

14.Which hash represents each data chunk processed during an EMC Avamar backup?

- A.root
- B.composite
- C.atomic
- D.file metadata

**Answer:C**

15.What is the recommended replication method for moving all data and clients from a single node to a multinode EMC Avamar server?

- A./REPLICATE replication
- B.Normal replication
- C.Selective replication
- D.Root-to-root replication

**Answer:D**