

Exam : NSE6_FML-6.4

**Title : Fortinet NSE 6 -FortiMail
6.4**

Version : DEMO

1.Which FortiMail option removes embedded code components in Microsoft Word, while maintaining the original file format?

- A. Behavior analysis
- B. Impersonation analysis
- C. Content disarm and reconstruction
- D. Header analysis

Answer: C

Explanation:

Reference: <https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/8c063dd3-bafe-11e9-a989-00505692583a/fortimail-admin-620.pdf> (435)

2.A FortiMail administrator is concerned about cyber criminals attempting to get sensitive information from employees using whaling phishing attacks.

What option can the administrator configure to prevent these types of attacks?

- A. Impersonation analysis
- B. Bounce tag verification
- C. Content disarm and reconstruction
- D. Dictionary profile with predefined smart identifiers

Answer: A

3.Which firmware upgrade method for an active-passive HA cluster ensures service outage is minimal, and there are no unnecessary failovers?

- A. Break the cluster, upgrade the units independently, and then form the cluster
- B. Upgrade both units at the same time
- C. Upgrade the standby unit, and then upgrade the active unit
- D. Upgrade the active unit, which will upgrade the standby unit automatically

Answer: B

Explanation:

Reference: <https://docs.fortinet.com/document/fortimail/6.2.0/administration-guide/725928/upgrading-firmware-on-ha-units>

4.Refer to the exhibit.

Session Profile

Profile name:

SMTP Limits

Restrict number of EHLO/HELOs per session to:

Restrict number of email per session to:

Restrict number of recipients per email to:

Cap message size (KB) at:

Cap header size (KB) at:

Maximum number of NOOPs allowed for each connection:

Maximum number of RSETs allowed for each connection:

FortiMail

Domain name:

Relay type:

SMTP server: Port [Test..]

Use SMTPS

Fallback SMTP server: Port [Test..]

Use SMTPS

Relay Authentication

Other

Webmail theme:

Webmail language:

Maximum message size(KB):

SMTP greeting (EHLO/HELO) name (as client)

IP pool: Direction:

Remove received header of outgoing email

Use global bayesian database

Bypass bounce verification

Which message size limit will FortiMail apply to the outbound email?

- A. 204800
- B. 1024
- C. 51200
- D. 10240

Answer: A

5.A FortiMail is configured with the protected domain example.com.

On this FortiMail, which two envelope addresses are considered incoming? (Choose two.)

- A. MAIL FROM: accounts@example.com RCPT TO: sales@external.org
- B. MAIL FROM: support@example.com RCPT TO: marketing@example.com
- C. MAIL FROM: training@external.org RCPT TO: students@external.org
- D. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com

Answer: C,D

Explanation:

Reference: https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d-11ea-9384-00505692583a/FortiMail-6.4.0-Administration_Guide.pdf (30)