CERTPARK

QUESTION & ANSWER

CERTPARK.COM

Accurate Study Guides,
High Passing Rate!
provides update
free of charge
in one year!



https://www.certpark.com

Exam : **PCSAE**

Title : Palo Alto Networks Certified Security Automation Engineer

Version : DEMO

1.Reliability scores in XSOAR range from A through F.
What do A and F stand for?
A. F - Reliability cannot be judged, A - Completely Reliable
B. F - Not reliable, A - Usually Reliable
C. F - Not usually reliable, A - Fairly Reliable
D. F - Unreliable, A - Completely Reliable
Answer: A

2.Which two incident search queries are valid? (Choose two.)
A. created:>=”7 days”
B. owner===admin
C. role is Analyst
D. status:closed –category:job
Answer: A,D
Explanation:
Reference: https://docs.paloaltonetworks.com/cortex/cortex-xsoar/5-5/cortex-xsoar-admin/cortex-xsoar-overview/how-to-search-in-cortex-xsoar.html

3.Where can engineers add the post-processing scripts to incidents?
A. The post-processing tag must be added to the automation
B. Post-processing scripts must be added at the end of playbooks
C. Post-processing scripts must be added from the Incident Type editor
D. Post-processing scripts must be added from the Post-Process Rules editor
Answer: C

4.How would context data be filtered to receive only malicious indicator values with DBotScore?
A. Get DBotScore.value where DBotScore.Score (Larger or equals) 4
B. Get DBotScore.value where DBotScore.Score (equals (int)) 3
C. Get DBotScore where DBotScore.Score (Larger than) 1
D. Get DBotScore where DBotScore.Score (Larger or equals) 2
Answer: B
Explanation:
Reference:
https://github.com/demisto/content/blob/master//Packs/DeprecatedContent/Integrations/PaloAlto_MineMeld/README.md

5.How is data transferred between playbook tasks?
A. Read/Write from context data
B. Over war room results
C. Input from the indicator page
D. Directly from a previous task
Answer: A