

CERTPARK



QUESTION & ANSWER



CERTPARK.COM

Accurate Study Guides,
High Passing Rate!
provides update
free of charge
in one year!



<https://www.certpark.com>

Exam : **P_SECAUTH_21**

Title : SAP Certified Technology
Professional - System
Security Architect

Version : DEMO

1. A user reports an issue with data not showing up in the visualization of the SAP Fiori tiles. You want to verify the target mapping.

At what level are you going to check the target mapping?

- A. At the catalog level in the SAP Fiori front-end server
- B. At the group level in the SAP Fiori front-end server
- C. At the group level in the SAP Fiori Launchpad
- D. At the application level in the Web IDE

Answer: A

2. Which authorizations should you restrict when you create a developer role in an AS ABAP production system? Note: There are 2 correct answers to this question.

- A. The ability to execute class methods through authorization object S_PROGRAM
- B. The ability to execute queries through authorization object S_OUERY
- C. The ability to execute function modules through authorization object S_DEVELOP
- D. The ability to use the ABAP Debugger through authorization object S_DEVELOP

Answer: C,D

3. What are characteristics only valid for the MDC high isolation mode?

- A. Every tenant has its own set of OS users
- B. All internal database communication is secured using SNC
- C. Every tenant has its own set of database users
- D. Every tenant has its own set of database users belonging to the same sapsys group

Answer: A

4. You have configured a Gateway SSO authentication using X.509 client certificates. The configuration of the dual trust relationship between client (browser) and SAP Web Dispatcher as well as the configuration of the SAP Web Dispatcher to accept and forward client certificates were done. Users complain that they can't log in to the back-end system.

How can you check the cause?

- A. Run back-end transaction SMICM and open the trace file
- B. Run back-end system trace using ST12
- C. Run gateway transaction /IWFND/TRACES
- D. Run gateway transaction /IWFND/ ERRORJ.OG

Answer: D

5. You want to create an SAP Fiori app for multiple users and multiple back-end systems. To support this, you create different roles for the different back-end systems in the SAP Fiori front-end system (central hub).

What transaction do you have to use to map a back-end system to one of those roles?

- A. /UI2/GW_SYS_ALIAS
- B. PFCG
- C. SM59
- D. /IWFND/MAINT_SERVICE

Answer: B

